



*Model RH6P with Arch4 windows.  
Standard spade lift handles and step plates.  
Doors have been painted by the consumer.*

# Reserve<sup>®</sup>

COLLECTION

Semi-Custom Series



America's Favorite Garage Doors<sup>®</sup>

PORTFOLIO<sup>®</sup> LINE

# Doors that take you to a more beautiful place.

Just because your garage door opening is a standard size doesn't mean it deserves a standard, cookie-cutter door.

That's why Clopay has created its Reserve Collection line of Semi-Custom Design Garage Doors. These upward acting wood doors operate just like conventional, modern garage doors.

Our Semi-Custom Design Garage Doors are designed to distinguish your property. To provide it with a look of individuality. Of architectural authenticity and continuity.

## Door Designs

AVAILABLE IN 6 DESIGNS

	7' HIGH			8' HIGH
	(6'-9' wide)	(9'2"-14' wide)	(14'2"-18' wide)	(6'-9' wide)
Design 1				
Design 2				
Design 3				
Design 4				
Design 5				
Design 6				

- Standard widths are 8'0", 9'0", 10'0", 15'0", 15'6", 16'0", and 18'0" (nonstandard widths are available in 2" increments from 6'0" to 18'0").
- Door heights are 6'6" (3 sections), 7'0" (3 sections), 7'6" (4 sections) and 8'0" (4 sections). Not all panel and window designs are available in all section width and height configurations (contact your Pro-Series dealer for details).
- Optional center groove is available.

## Wood Species

REDWOOD, CEDAR, & HEMLOCK

	STAIN GRADE			PAINT GRADE	
STILES/RAILS	Redwood	Cedar	Hemlock	Hemlock	Hemlock
PANELS	Redwood	Cedar	Hemlock	Smooth MDO	Grooved MDO
	RR_R	RC_C	RH_H	RH_P	RH_G

Underscore ("\_") is a placeholder for the design number.

Factory priming is available on hemlock doors.

**NOTE:** Stain Grade doors are made with edge glued redwood, cedar, or hemlock wood panels. Differences in grain and color variations are indicative of natural wood. These are not considered product defects. Paint Grade doors are made with exterior grade MDO plywood panels. Paint Grade doors cannot be stained.



## Window Designs/Top Sections

AVAILABLE IN RECTANGLE, SQUARE, ARCH OR SOLID PANEL

	(6'-9' wide)	(9'2"-14' wide)	(14'2"-18' wide)
SOLID			
RECI3			
RECI4			
SQ23			
SQ24			
ARCHI SOLID			
ARCH2* SOLID			
ARCH3*			
ARCH4*			
ARCH6*			
ARCH8*			
ARCHI3*			
ARCHI4*			
ARCHI6*			
ARCHI8*			

\* Arched windows available in 8', 9', 10', 15', 15'6", 16' and 18' widths and 7' and 8' heights only.

1/8" glass standard. Obscure glass is available as an option.




Model RC2C with REC13 windows.  
Optional decorative handles with keyhole  
and spade strap hinges.

## Finished Door Designs

	Design 1	Design 2	Design 3	Design 4	Design 5	Design 6
SOLID						
REC13						
REC14						
SQ23						
SQ24						
ARCH1						
ARCH3						
ARCH4						
ARCH13						
ARCH14						

NOTE: 7' high doors are illustrated. Design may appear different dependent upon the height and number of sections of the door. Please contact your dealer for illustrations providing dimensions and line drawings for each design.



*Get the look you want  
and the ease of operation  
you require.*

All Semi-Custom Garage Doors are built with care and craftsmanship. Our time-tested two-layer construction method ensures durability and reliability. Premium hardware and heavy grade commercial track assure smooth, quiet operation. A bottom weatherseal is included to help protect the bottom door section and to help seal out the elements.

Attractive black powder coated grip handles and step plates are provided standard to further enhance the carriage house design. Optional antique black iron hardware, including handles, operable L-keylocks, strap hinges, door knockers and studs, are available to provide the look of a classic carriage house door.

## Decorative Hardware

### STANDARD

Spade Lift Handle



Spade Step Plate



### OPTIONAL



Escutcheon Plates



Ring Door Knocker



*RH3G with REC13 windows. Standard spade handles. Doors have been painted by the consumer.*



*RH1G with REC14 windows. Doors have been painted by the consumer.*



*Model RC2C with REC13 windows. Optional spade strap hinges.*

**Finishing:** The door must be properly finished prior to installation for the warranty to be valid. It is required that the door (inside, outside and all edges) be primed and painted with a high quality exterior paint or stained with a penetrating stain that is mildew and UV resistant and water repellent. Complete finishing instructions are provided with the door and are also available online at [www.clopaydoor.com](http://www.clopaydoor.com).

**Maintenance and Care:** Proper care and maintenance are imperative to the appearance, longevity and performance of a Reserve Collection door. The door must be stained or painted every 1-2 years to protect and seal the sections against the elements. Exposure to sunlight and moisture will break down the finish, causing the door to rot and warp if not properly maintained. Complete maintenance and care instructions are provided with your Reserve Collection installation instructions or can be found online at [www.clopaydoor.com](http://www.clopaydoor.com).

For more detailed product specification information or availability of our Semi-Custom Reserve Collection Garage Doors, please contact your Clopay Pro-Series Dealer. To find the dealer nearest you call 1-800-2CLOPAY (1-800-225-6729) or visit us at [www.clopaydoor.com](http://www.clopaydoor.com).

Distributed By:



America's Favorite Garage Doors®

RSDR-RCSEMICSS-02\_REV0508