

W1

W1	Clopay Dealer Model Numbers	Clopay Retail Model Numbers	Holmes Model Numbers	Ideal Model Numbers	Clopay Drawing Number	Holmes Drawing Number	Ideal Drawing Number	Door Width (Max) Ft-In	Door Height (Max) Ft-In	Design Load Positive (PSF)	Design Load Negative (PSF)	Double End Stiles?	Horizontal Reinforcement	Florida Approval Seq. No.	TDI listed	Dade listed
		73, 76, 94, 1500	75, 75L, 76, 84A	42, 46, 48	2RST, 4RST, 4RSF, 6RST, 6RSF	102738	102738	102738	9-0	8-0	13	-15	N	7'H 2-1/4" 24ga U-Bar (1-1-0-1) 8'H 2-1/4" 24ga U-Bar (1-1-0-1-1)	N/A	No
	73, 76, 94, 1500	75, 75L, 76, 84A	42, 46, 48	2RST, 4RST, 4RSF, 6RST, 6RSF	102739	102739	102739	16-0	8-0	12.5	-14	N	7'H: 3" U-Bar (2-1-1-1) 8'H: 3" U-Bar (2-1-1-1-1)	N/A	No	N/A
	73, 94, 1500	75, 76, 84A	42, 48	4RST, 4RSF, 6RST, 6RSF	102933	102933	102933	18-0	8-0	12.5	-14	N	7'H: 3" U-Bar (2-1-2-1) 8'H: 3" U-Bar (2-1-2-1-2)	N/A	No	N/A
	H73, H76, H94, H500	N/A	N/A	H4ST, H4SF, H6ST, H6SF	102740	N/A	102740	9-0	12-0	13	-15	N	10'H: 2-1/4" 24ga U-Bar (1-1-0-1-1-1) 12'H: 2-1/4" 24ga U-Bar (1-1-0-1-1-1-1)	N/A	No	N/A
	H73, H76, H94, H500	N/A	N/A	H4ST, H4SF, H6ST, H6SF	102741	N/A	102741	16-0	12-0	12.5	-14	N	10'H: 3" U-Bar (2-1-1-1-1-1) 12'H: 3" U-Bar (2-1-1-1-1-1-1)	N/A	No	N/A
	H76, H94, H500	N/A	N/A	H4ST, H4SF, H6ST, H6SF	102972	N/A	102972	18-0	12-0	12.5	-14	N	10'H: 3" U-Bar (2-1-2-1-2-1) 12'H: 3" U-Bar (2-1-2-1-2-1-2)	N/A	No	N/A
	1000, 1001, 1100	183, 186, 187	52, 52LS, 54	N/A	102708	102708	N/A	9-0	8-0	13	-15	N	7'H 2-1/4" 24ga U-Bar (1-1-0-1) 8'H 2-1/4" 24ga U-Bar (1-1-0-1-1)	N/A	No	N/A
	1000, 1001, 1100	183, 186, 187	52, 52LS, 54	N/A	102709	102709	N/A	16-0	8-0	12.5	-14	N	7'H: 3" U-Bar (2-1-2-1) 8'H: 3" U-Bar (2-1-2-1-2)	N/A	No	N/A
	1000, 1001	183, 187	52, 52LS	N/A	102931	102931	N/A	18-0	8-0	12.5	-14	N	7'H: 3" U-Bar (2-1-2-1) 8'H: 3" U-Bar (2-1-2-1-2)	N/A	No	N/A
	H000, H001, H100	N/A	N/A	N/A	102710	N/A	N/A	9-0	12-0	13	-15	N	10'H: 2-1/4" 24ga U-Bar (1-1-0-1-1-1) 12'H: 2-1/4" 24ga U-Bar (1-1-0-1-1-1-1)	N/A	No	N/A
	H000, H001, H100	N/A	N/A	N/A	102711	N/A	N/A	16-0	12-0	12.5	-14	N	10'H: 3" U-Bar (2-1-2-1-2-1) 12'H: 3" U-Bar (2-1-2-1-2-1-2)	N/A	No	N/A
	H000, H001	N/A	N/A	N/A	102954	N/A	N/A	18-0	12-0	12.5	-14	N	10'H: 3" U-Bar (2-1-2-1-2-2) 12'H: 3" U-Bar (2-1-2-1-2-2-2)	N/A	No	N/A
	4050, 4051, 4053	2050, 2051	62, 62LG, 64, 65	N/A	102714	102714	N/A	9-0	8-0	13	-15	N	7'H: 2-1/4" 24ga U-Bar (1-0-1-0) 8'H: 2-1/4" 24ga U-Bar (1-0-1-0-1-0)	N/A	No	N/A
	4050, 4051, 4053	2050, 2051	62, 62LG, 64, 65	N/A	102715	102715	N/A	16-0	8-0	12.5	-14	N	7'H: 2-1/4" U-Bar (2-1-2-1) 8'H: 2-1/4" U-Bar (2-1-2-1-2-1)	N/A	No	N/A
	4050, 4051, 4053	2050, 2051	62, 62LG, 64, 65	N/A	102867	102867	N/A	18-0	8-0	12.5	-14	N	7'H: 3" U-Bar (2-1-1-1) 8'H: 3" U-Bar (2-1-1-1-1)	N/A	No	N/A
	H050, H051, H053	N/A	N/A	N/A	102716	N/A	N/A	9-0	12-0	13	-15	N	10'H: 2-1/4" 24ga U-Bar (1-0-1-0-1-0) 12'H: 2-1/4" 24ga U-Bar (1-0-1-0-1-0-1)	N/A	No	N/A
	H050, H051, H053	N/A	N/A	N/A	102717	N/A	N/A	16-0	12-0	12.5	-14	N	10'H: 2-1/4" U-Bar (2-1-2-1-2-1) 12'H: 2-1/4" U-Bar (2-1-2-1-2-1-2)	N/A	No	N/A
	H050, H051, H053	N/A	N/A	N/A	102922	N/A	N/A	18-0	12-0	12.5	-14	N	10'H: 3" U-Bar (2-1-1-1-1-1) 12'H: 3" U-Bar (2-1-1-1-1-1-1)	N/A	No	N/A
	4300, 4301, 4310, 4400, 4401	HDG, HDGL	66, 67, 68	N/A	102694	102694	N/A	9-0	8-0	13	-15	N	NONE	N/A	No	N/A
	4300, 4301, 4310, 4400, 4401	HDG, HDGL	66, 67, 68	N/A	102695	102695	N/A	16-0	8-0	12.5	-14	N	7'H: 2-1/4" U-Bar (1-1-1-1-1) 8'H: 2-1/4" U-Bar (1-1-1-1-1-1)	N/A	No	N/A
	4300, 4301, 4310, 4400, 4401	HDG, HDGL	66, 67, 68	N/A	102736	102736	N/A	18-0	8-0	12.5	-14	N	7'H: 3" U-Bar (1-1-1-1) 8'H: 3" U-Bar (1-1-1-1-1)	N/A	No	N/A

Residential List

	Clopay Dealer Model Numbers	Clopay Retail Model Numbers	Holmes Model Numbers	Ideal Model Numbers	Clopay Drawing Number	Holmes Drawing Number	Ideal Drawing Number	Door Width (Max) Ft-In	Door Height (Max) Ft-In	Design Load Positive (PSF)	Design Load Negative (PSF)	Double End Stiles?	Horizontal Reinforcement	Florida Approval Seq. No.	TDI listed	Dade listed
W1 (cont.)	H300, H301, H310, H400, H401	N/A	N/A	N/A	102712	N/A	N/A	9-0	12-0	13	-15	N	NONE	N/A	No	N/A
	H300, H301, H310, H400, H401	N/A	N/A	N/A	102713	N/A	N/A	16-0	12-0	12.5	-14	N	10'H: 2-1/4" U-Bar (1-1-1-1-1-1) 12'H: 2-1/4" U-Bar (1-1-1-1-1-1-1)	N/A	No	N/A
	H300, H301, H310, H400, H401	N/A	N/A	N/A	102760	N/A	N/A	18-0	12-0	12.5	-14	N	10'H: 3" U-Bar (1-1-1-1-1-1) 12'H: 3" U-Bar (1-1-1-1-1-1)	N/A	No	N/A
	G4S, G4SV, G4L, G4LV	GS4, GS4V, GL4, GL4V	SS4, SS4V, SL4, SL4V	E4S, E4SV, E4L, E4LV	103597	103597	103597	9-0	12-0	13	-15	N	7'H: 2-1/4" 24ga U-Bar (1-1-1-1-1) 8'H: 2-1/4" 24ga U-Bar (1-1-1-1-1)	N/A	No	N/A
	G4S, G4SV, G4L, G4LV	GS4, GS4V, GL4, GL4V	SS4, SS4V, SL4, SL4V	E4S, E4SV, E4L, E4LV	103469	103469	103469	16-0	12-0	12.5	-14	N	7'H: 3" U-Bar (2-1-2-1) 8'H: 3" U-Bar (2-1-2-1)	N/A	No	N/A
	G4S, G4SV	GS4, GS4V	SS4, SS4V	E4S, E4SV	103603	103603	103603	18-0	12-0	12.5	-14	N	7'H: 3" U-Bar (2-2-2-2) 8'H: 3" U-Bar (2-2-2-2)	N/A	No	N/A
	Coachman	Coachman	Settlers	Affinity	103104	N/A	103104	9-0	8-0	13	-15	N	7'H: 2-1/4" U-Bar (1-0-1-0) 8'H: 2-1/4" U-Bar (1-0-1-0)	N/A	No	N/A
	Coachman	Coachman	Settlers	Affinity	103105	N/A	103105	16-0	8-0	12.5	-14	N	7'H: 2-1/4" U-Bar (2-1-2-1) 8'H: 2-1/4" U-Bar (2-1-2-1)	N/A	No	N/A
	Coachman	Coachman	Settlers	Affinity	103106	N/A	103106	18-0	8-0	12.5	-14	N	7'H: 3" U-Bar (2-1-1-1) 8'H: 3" U-Bar (2-1-1-1)	N/A	No	N/A
	Semi- Custom Resv. Coll.	Semi- Custom Resv. Coll.	N/A	N/A	102901	N/A	N/A	9-0	8-0	20	-21	N	NONE	N/A	No	N/A
	Semi- Custom Resv. Coll.	Semi- Custom Resv. Coll.	N/A	N/A	102900	N/A	N/A	16-0	8-0	12.5	-14	N	7'H: 3" U-Bar (1-1-1) 8'H: 3" U-Bar (1-1-1-1)	N/A	No	N/A
	251S, 251L, 251F	B178, B278, B378	55S, 55L	S51S, S51L, S51F	102935	102935	102935	9-0	12-0	13	-15	N	7'H: 2-1/4" U-Bar (1-1-1-1-1) 8'H: 2-1/4" U-Bar (1-1-1-1-1)	N/A	No	N/A
	251S, 251L, 251F	B178, B278, B378	55S, 55L	S51S, S51L, S51F	102937	102937	102937	16-0	12-0	12.5	-14	N	7'H: 3" U-Bar (2-1-2-1) 8'H: 3" U-Bar (2-1-2-1-2)	N/A	No	N/A
	251S, 251F	B178, B378	55S	S51S, S51F	102939	102939	102939	18-0	12-0	12.5	-14	N	7'H: 3" U-Bar (2-1-2-1) 8'H: 3" U-Bar (2-1-2-1-2)	N/A	No	N/A
	150S, 150L, 140S, 140L	C125, C225, C124	45S, 45L, 44S	B5S, B5L, B4S, B4L, B4F	102942	102942	102942	9-0	12-0	13	-15	N	7'H: 2-1/4" U-Bar (1-1-1-1-1) 8'H: 2-1/4" U-Bar (1-1-1-1-1)	N/A	No	N/A
	150S, 150L, 140S, 140L	C125, C225, C124	45S, 45L, 44S	B5S, B5L, B4S, B4L, B4F	102944	102944	102944	16-0	12-0	12.5	-14	N	7'H: 3" U-Bar (2-1-2-1) 8'H: 3" U-Bar (2-1-2-1-2)	N/A	No	N/A
	150S, 140S	C125, C124	45S, 44S	B5S, B4S, B4F	102946	102946	102946	18-0	12-0	12.5	-14	N	7'H: 3" U-Bar (2-1-2-1) 8'H: 3" U-Bar (2-1-2-1-2)	N/A	No	N/A
	AV, AVI	N/A	N/A	N/A	103462	N/A	N/A	12-2	18-0	16.5	-16.5	N	NONE	N/A	No	N/A
AV, AVI	N/A	N/A	N/A	103463	N/A	N/A	14-2	18-0	13.5	-13.5	N	NONE	N/A	No	N/A	

W2

	Clopay Dealer Model Numbers	Clopay Retail Model Numbers	Holmes Model Numbers	Ideal Model Numbers	Clopay Drawing Number	Holmes Drawing Number	Ideal Drawing Number	Door Width (Max) Ft-In	Door Height (Max) Ft-In	Design Load Positive (PSF)	Design Load Negative (PSF)	Double End Stiles?	Horizontal Reinforcement	Florida Approval Seq. No.	TDI listed	Dade listed
W2	73, 94, 1500	75, 84A	42, 48	4RST, 6RST, 4RSF, 6RSF	102930	102930	102930	9-0	8-0	16	18.5	N	7'H: 2-1/4" 24ga U-Bar (1-1-1-1-1) 8'H: 2-1/4" 24ga U-Bar (1-1-1-1-1)	N/A	No	N/A
	73, 94, 1500	75, 84A	42, 48	4RST, 6RST, 4RSF, 6RSF	102898	102898	102898	16-0	8-0	15.5	17	N	7'H: 3" U-Bar (2-1-1-1) 8'H: 3" U-Bar (2-1-1-1)	N/A	No	N/A
	H73, H94, H500	N/A	N/A	H4ST, H6ST, H4SF, H6SF	102952	N/A	102952	9-0	12-0	16	18.5	N	10'H: 2-1/4" 24ga U-Bar (1-1-1-1-1-1) 12'H: 2-1/4" 24ga U-Bar (1-1-1-1-1-1-1)	N/A	No	N/A
	H73, H94, H500	N/A	N/A	H4ST, H6ST, H4SF, H6SF	102953	N/A	102953	16-0	12-0	15.5	17	N	10'H: 3" U-Bar (2-1-1-1-1-1) 12'H: 3" U-Bar (2-1-1-1-1-1-1)	N/A	No	N/A

W3

	Clopay Dealer Model Numbers	Clopay Retail Model Numbers	Holmes Model Numbers	Ideal Model Numbers	Clopay Drawing Number	Holmes Drawing Number	Ideal Drawing Number	Door Width (Max) Ft-In	Door Height (Max) Ft-In	Design Load Positive (PSF)	Design Load Negative (PSF)	Double End Stiles?	Horizontal Reinforcement	Florida Approval Seq. No.	TDI listed	Date listed
W3	1000, 1001	183, 187	52	P2GF	101784	102043	102128	16-0	8-0	20	21	N	7H: 3" U-Bar (2-1-2-1) 8H: 3" U-Bar (2-1-2-1-1)	5675.2	No	N/A
	4050, 4051, 4053	2050, 2051	62, 64, 65	134, 135, 136	101655	102044	102129	9-0	8-0	20	20	N	7H: 2-1/4" U-Bar (1-1-0-1) 8H: 2-1/4" U-Bar (1-1-0-1-0)	5675.1	No	N/A
	4050, 4051, 4053	2050, 2051	62, 64, 65	134, 135, 136	101820	102045	102130	16-0	8-0	20	21	N	7H: 3" U-Bar (2-1-2-1) 8H: 3" U-Bar (2-1-2-1-2)	5675.3	No	N/A
	73, 94, 1500	75, 84A, 190	42, 48, 55	4RST, 6RST	101308	102042	102131	16-0	8-0	20	21	N	7H: 3" U-Bar (2-1-1-1) 8H: 3" U-Bar (2-1-1-1-1)	5675.4	No	N/A
	N/A	N/A	N/A	4RSF, 6RSF	N/A	N/A	102408	16-0	8-0	20	21	N	7H: 3" U-Bar (2-1-1-1) 8H: 3" U-Bar (2-1-1-1-1)	5675.4	No	N/A

W4

	Clopay Dealer Model Numbers	Clopay Retail Model Numbers	Holmes Model Numbers	Ideal Model Numbers	Clopay Drawing Number	Holmes Drawing Number	Ideal Drawing Number	Door Width (Max) Ft-In	Door Height (Max) Ft-In	Design Load Positive (PSF)	Design Load Negative (PSF)	Double End Stiles?	Horizontal Reinforcement	Florida Approval Seq. No.	TDI listed	Date listed
W4	4400, 4401, 4310, 4300, 4301	HDG, HDGL	66, 67, 68	N/A	101652	102049	N/A	9-0	8-0	28	29	N	7H: 2-1/4" U-Bar (1-1-0-1) 8H: 2-1/4" U-Bar (1-1-0-1-0)	5675.5	YES	N/A
	4400, 4401, 4310, 4300, 4301	HDG, HDGL	66, 67, 68	N/A	101481	102050	N/A	16-0	8-0	25.5	25.5	N	7H: 3" U-Bar (2-1-1-1) 8H: 3" U-Bar (2-1-1-1-1)	5675.8	YES	N/A
	4400, 4401, 4310, 4300, 4301	HDG, HDGL	66, 67, 68	N/A	101247	102051	N/A	18-0	8-0	25	25	N	7H: 3" U-Bar (2-2-2-2) 8H: 3" U-Bar (2-2-2-2-2)	5675.12	YES	N/A
	H300, H301, H310, H400, H401	N/A	N/A	N/A	102488	N/A	N/A	9-0	12-0	28	29	N	10H: 2-1/4" U-Bar (1-1-0-1-0-1) 12H: 2-1/4" U-Bar (1-1-0-1-0-1-1)	5675.5	YES	N/A
	H300, H301, H310, H400, H401	N/A	N/A	N/A	102489	N/A	N/A	16-0	12-0	25.5	25.5	N	10H: 3" U-Bar (2-1-1-1-1-1) 12H: 3" U-Bar (2-1-1-1-1-1-1)	5675.8	YES	N/A
	H300, H301, H310, H400, H401	N/A	N/A	N/A	102490	N/A	N/A	18-0	10-0	25	25	N	10H: 3" U-Bar (2-2-2-2-2-2) 12H: 3" U-Bar (2-2-2-2-2-2-2)	5675.12	YES	N/A
	73, 94, 1500	75, 84A, 190	42, 48, 55	4RST, 6RST	300159	102046	102137	9-0	8-0	25	32	N	7H: 3" U-Bar (1-1-1-1) 8H: 3" U-Bar (1-1-1-1-1)	5675.6	YES	N/A
	73, 94, 1500	75, 84A, 190	42, 48, 55	4RST, 6RST	101711	102047	102138	16-0	8-0	24	24.5	N	7H: 3" U-Bar (2-1-2-1) 8H: 3" U-Bar (2-1-2-1-2-1)	5675.9	YES	N/A
	73, 94, 1500	75, 84A, 190	42, 48, 55	4RST, 6RST	101312	102048	102139	18-0	8-0	25	25	N	7H: 4" C-Channel (1-1-1-1-1) 8H: 4" C-Channel (1-1-1-1-1-1)	5675.13	YES	N/A
	N/A	N/A	N/A	4RSF, 6RSF	N/A	N/A	102409	9-0	8-0	25	32	N	7H: 3" U-Bar (1-1-1-1) 8H: 3" U-Bar (1-1-1-1-1)	5675.6	N/A	N/A
	N/A	N/A	N/A	4RSF, 6RSF	N/A	N/A	102410	16-0	8-0	24	24.5	N	7H: 3" U-Bar (2-1-2-1) 8H: 3" U-Bar (2-1-2-1-2)	5675.9	N/A	N/A
	N/A	N/A	N/A	4RSF, 6RSF	N/A	N/A	102415	18-0	8-0	25	25	N	7H: 4" C-Channel (1-1-1-1-1) 8H: 4" C-Channel (1-1-1-1-1-1)	5675.13	N/A	N/A
	76	N/A	N/A	2RST	102429	N/A	102430	9-0	8-0	25	32	N	7H: 3" U-Bar (1-1-1-1) 8H: 3" U-Bar (1-1-1-1-1)	5675.6	YES	N/A
	H73, H76, H94, H500	N/A	N/A	H2ST, H4ST, H6ST	102485	N/A	102491	9-0	12-0	25	32	N	10H: 3" U-Bar (1-1-1-1-1-1) 12H: 3" U-Bar (1-1-1-1-1-1-1)	5675.6	YES	N/A
	H73, H94, H500	N/A	N/A	H4ST, H6ST	102486	N/A	102492	16-0	12-0	24	24.5	N	10H: 3" U-Bar (2-1-2-1-2-1) 12H: 3" U-Bar (2-1-2-1-2-1-2)	5675.9	YES	N/A
	H73, H94, H500	N/A	N/A	H4ST, H6ST	102487	N/A	102493	18-0	12-0	25	25	N	10H: 4" C-Channel (1-1-1-1-1-1-1) 12H: 4" C-Channel (1-1-1-1-1-1-1-1)	5675.13	YES	N/A
	N/A	N/A	N/A	H4SF, H6SF	N/A	N/A	102576	9-0	12-0	25	32	N	10H: 3" U-Bar (1-1-1-1-1-1) 12H: 3" U-Bar (1-1-1-1-1-1-1)	5675.6	N/A	N/A
	N/A	N/A	N/A	H4SF, H6SF	N/A	N/A	102577	16-0	12-0	24	24.5	N	10H: 3" U-Bar (2-1-2-1-2-1) 12H: 3" U-Bar (2-1-2-1-2-1-2)	5675.9	N/A	N/A
	N/A	N/A	N/A	H4SF, H6SF	N/A	N/A	102578	18-0	12-0	25	25	N	10H: 4" C-Channel (1-1-1-1-1-1-1) 12H: 4" C-Channel (1-1-1-1-1-1-1-1)	5675.13	N/A	N/A
	Coachman	Coachman	Settlers	Affinity	103046	103046	103046	16-0	12-0	25	25	N	7H: 3" U-Bar (2-2-2-2) 8H: 3" U-Bar (2-2-2-2)	6218.3	YES	N/A
	G4S, G4SV, G4L, G4LV	GS4, GS4V, GL4, GL4V	SS4, SS4V, SL4, SL4V	E4S, E4SV, E4L, E4LV	103486	103486	103486	9-0	12-0	25	25	N	7H: 3" U-Bar (1-1-1-1) 8H: 3" U-Bar (2-1-1-1)	5675.7	YES	N/A
	G4S, G4SV, G4L, G4LV	GS4, GS4V, GL4, GL4V	SS4, SS4V, SL4, SL4V	E4S, E4SV, E4L, E4LV	103454	103454	103454	16-0	12-0	25	25	N	7H: 3" U-Bar (2-1-2-1) 8H: 3" U-Bar (2-2-2-2)	5675.11	YES	N/A
	G4S, G4SV	GS4, GS4V	SS4, SS4V	E4S, E4SV	103498	103498	103498	18-0	12-0	25	25	N	7H: 4" C-Channel (1-1-1-1-1) 8H: 4" C-Channel (1-1-1-1-1-1) and 3" U-Bar (1-1-1-1)	6218.6	YES	N/A
	Grand Harbor	N/A	N/A	N/A	103549	103549	103549	9-0	12-0	25	25	N	7H: 3" U-Bar (1-1-1-1) 8H: 3" U-Bar (2-1-1-1)	6218.2	YES	N/A
	Grand Harbor	N/A	N/A	N/A	103550	103550	103550	16-0	12-0	24	24.5	N	7H: 3" U-Bar (1-2-1-2) 8H: 3" U-Bar (2-2-2-2)	6218.5	YES	N/A
	Grand Harbor	N/A	N/A	N/A	103551	103551	103551	18-0	12-0	25	25	N	7H: 4" C-Channel (1-1-1-1-1) and 3" U-Bar (0-1-0-1) 8H: 4" C-Channel (1-1-1-1-1) and 3" U-Bar (1-1-1-1)	6218.7	YES	N/A

W5

Cloday Dealer Model Numbers	Cloday Retail Model Numbers	Holmes Model Numbers	Ideal Model Numbers	Cloday Drawing Number	Holmes Drawing Number	Ideal Drawing Number	Door Width (Max) Ft-In	Door Height (Max) Ft-In	Design Load Positive (PSF)	Design Load Negative (PSF)	Double End Stiles?	Horizontal Reinforcement	Florida Approval Seq. No.	TDI listed	Date listed
Reserve Coll.	Reserve Coll.	N/A	N/A	102466	N/A	N/A	9-0	8-0	32	36	N	7H: 2-1/4" U-Bar (2-1-1) 8H: 2-1/4" U-Bar (2-1-1-1)	5675.19	No	N/A
Reserve Coll. (Hemlock)	Reserve Coll. (Hemlock)	N/A	N/A	102536	N/A	N/A	16-0	8-0	30	33.3	N	7H: 4" C-Channel (1-1-1) 8H: 4" C-Channel (1-1-1-1)	5675.30	No	N/A
1000, 1001	183, 187	52	P2GF	101242	102054	102140	9-0	8-0	30	32	N	7H: 3" U-Bar (1-1-1-1) 8H: 3" U-Bar (1-1-1-1-1)	5675.15	No	N/A
1000, 1001	183, 187	52	P2GF	101345	102055	102141	16-0	8-0	30	30	Y	7H: 4" C-Channel (1-1-1-1) 8H: 4" C-Channel (1-1-1-1-1)	5675.23	No	N/A
4050, 4051, 4053	2050, 2051	62, 64, 65	134, 135, 136	101595	102053	102142	16-0	8-0	30	30	N	7H: 3" U-Bar (2-2-2-2) 8H: 3" U-Bar (2-2-2-2-2)	5675.24	No	N/A
4050, 4051, 4053	2050, 2051	N/A	134, 135, 136	102185	N/A	102187	16-0	8-0	32	32	N	7H: 3" U-Bar (2-2-2-2) HY* 8H: 3" U-Bar (2-2-2-2-2) HY*	5675.21	No	N/A
73, 94, 1500	75, 84A, 190	42, 48, 55	4RST, 6RST	102110	102111	102143	9-0	8-0	30	32	N	7H: 3" U-Bar (2-1-1-1) 8H: 3" U-Bar (2-1-1-1-1)	5675.16	YES	N/A
73, 94, 1500	75, 84A, 190	42, 48, 55	4RST, 6RST	101593	102052	102144	16-0	8-0	30	30	N	7H: 3" U-Bar (2-2-2-2) 8H: 3" U-Bar (2-2-2-2-2)	5675.25	YES	N/A
73, 94, 1500 with Impact Lites	75, 84A, 190 with Impact Lites	42, 48, 55 with Impact Lites	4RST, 6RST with Impact Lites	101593	102052	102144	16-0	8-0	30	30	N	7H: 3" U-Bar (2-2-2-2) 8H: 3" U-Bar (2-2-2-2-2)	6218.23	YES	N/A
73, 94, 1500	75, 84A, 190	N/A	4RST, 6RST	101922	N/A	102145	16-0	8-0	32	32	N	7H: 3" U-Bar (2-2-2-2) HY* 8H: 3" U-Bar (2-2-2-2-2) HY*	5675.22	YES	N/A
N/A	N/A	N/A	4RSF, 6RSF	N/A	N/A	102555	9-0	8-0	30	32	N	7H: 3" U-Bar (2-1-1-1) 8H: 3" U-Bar (2-1-1-1-1)	5675.16	N/A	N/A
N/A	N/A	N/A	4RSF, 6RSF	N/A	N/A	102557	16-0	8-0	30	30	N	7H: 3" U-Bar (2-2-2-2) 8H: 3" U-Bar (2-2-2-2-2)	5675.25	N/A	N/A
76	N/A	N/A	2RST	102548	N/A	102549	9-0	8-0	30	32	N	7H: 3" U-Bar (2-1-1-1) 8H: 3" U-Bar (2-1-1-1-1)	5675.16	YES	N/A
76	N/A	N/A	2RST	102416	N/A	102428	16-0	8-0	30	30	N	7H: 3" U-Bar (2-2-2-2) 8H: 3" U-Bar (2-2-2-2-2)	5675.25	YES	N/A
H73, H76, H94, H500	N/A	N/A	H2ST, H4ST, H6ST	102512	N/A	102513	16-0	12-0	30	30	N	10H: 3" U-Bar (2-2-2-2-2-2) 12H: 3" U-Bar (2-2-2-2-2-2-2)	5675.25	YES	N/A
H73, H76, H94, H500 with Impact Lites	N/A	N/A	H2ST, H4ST, H6ST	102512	N/A	102513	16-0	12-0	30	30	N	10H: 3" U-Bar (2-2-2-2-2-2) 12H: 3" U-Bar (2-2-2-2-2-2-2)	6218.23	YES	N/A
N/A	N/A	N/A	H4SF, H6SF	N/A	N/A	102579	16-0	12-0	30	30	N	10H: 3" U-Bar (2-2-2-2-2-2) 12H: 3" U-Bar (2-2-2-2-2-2-2)	5675.25	N/A	N/A
Coachman	Coachman	Settlers	Affinity	102996	102996	102996	9-0	12-0	33	37	N	7H: 3" U-Bar (2-1-1-1) 8H: 3" U-Bar (2-1-1-1)	6218.9	YES	N/A
Coachman	Coachman	Settlers	Affinity	102997	102997	102997	16-0	12-0	30	30	N	7H: 3" U-Bar (2-2-2-2) HY* 8H: 3" U-Bar (2-2-2-2) HY*	6218.13	YES	N/A
Coachman Premium	Coachman Premium	Settlers	Affinity Gold	103710	103710	103710	16-0	12-0	30	30	N	7H: 3" U-Bar (2-2-2-2) 8H: 3" U-Bar (2-2-2-2)	6218.12	YES	N/A
G4S, G4SV, G4L, G4LV	GS4, GS4V, GL4, GL4V	SS4, SS4V, SL4, SL4V	E4S, E4SV, E4L, E4LV	103487	103487	103487	9-0	12-0	30	32	N	7H: 3" U-Bar (2-1-1-1) 8H: 3" U-Bar (2-1-2-1)	5675.18	YES	N/A
G4S, G4SV, G4L, G4LV	GS4, GS4V, GL4, GL4V	SS4, SS4V, SL4, SL4V	E4S, E4SV, E4L, E4LV	103471	103471	103471	16-0	12-0	30	30	N	7H: 3" U-Bar (2-2-2-2) 8H: 3" U-Bar (3-2-3-2)	5675.29	YES	N/A
AV, AVI	N/A	N/A	N/A	103445	N/A	N/A	12-2	12-0	32	32	N	7H: 2"x2" Alum. Angle (2-1-1-1) 8H: 2"x2" Alum. Angle (2-1-1-1)	5675.20	No	N/A
AV, AVI	N/A	N/A	N/A	103447	N/A	N/A	16-2	12-0	32	32	Y	7H: 4" C-Channel (1-1-1-1) 8H: 4" C-Channel (1-1-1-1-1)	5675.27	No	N/A
AV, AVI	N/A	N/A	N/A	103446	N/A	N/A	16-2	12-0	30	30	Y	7H: Bridge Strut (2-1-1-1) 8H: Bridge Strut (2-1-1-1)	5675.26	No	N/A
AV, AVI	N/A	N/A	N/A	103448	N/A	N/A	20-2	12-0	30	30	Y	7H: 6" C-Channel (1-1-1-1) 8H: 6" C-Channel (1-1-1-1-1)	5675.31	No	N/A
15SP, 76SP	N/A	N/A	N/A	103556	N/A	N/A	9-0	8-0	32	37	N	7H: 3" U-Bar (2-1-2-1) 8H: 3" U-Bar (2-1-2-1-2)	6218.8	No	N/A
15SP, 76SP	N/A	N/A	N/A	103723	N/A	N/A	16-0	8-0	32	37	N	7H: 4" C-Channel (1-1-1-1) 8H: 4" C-Channel (1-1-1-1-1)	6218.11	No	N/A
Grand Harbor	N/A	N/A	N/A	103552	103552	103552	9-0	12-0	30	32	N	7H: 3" U-Bar (2-1-1-1) 8H: 3" U-Bar (2-1-2-1)	6218.10	YES	N/A
Grand Harbor	N/A	N/A	N/A	103553	103553	103553	16-0	12-0	30	30	N	7H: 3" U-Bar (2-2-2-2) 8H: 3" U-Bar (3-2-3-2)	6218.14	YES	N/A

W5

* - 3" U-Bar specified 80ksi min yield strength steel

W6

Cloday Dealer Model Numbers	Cloday Retail Model Numbers	Holmes Model Numbers	Ideal Model Numbers	Cloday Drawing Number	Holmes Drawing Number	Ideal Drawing Number	Door Width (Max) Ft-In	Door Height (Max) Ft-In	Design Load Positive (PSF)	Design Load Negative (PSF)	Double End Stiles?	Horizontal Reinforcement	Florida Approval Seq. No.	TDI listed	Dade listed
Custom Reserve Coll.	Custom Reserve Coll.	N/A	N/A	102833	N/A	N/A	9-0	12-0	39	45	N	7H: 2-1/4" U-Bar (2-1-1) 8H: 2-1/4" U-Bar (2-1-1)	5675.35	No	N/A
4050, 4051, 4053	2050, 2051	62, 64, 65	134, 135, 136	101654	102059	102148	9-0	8-0	37	37	N	7H: 2-1/4" U-Bar (2-1-1-1) 8H: 2-1/4" U-Bar (2-1-1-1-1)	5675.32	YES	N/A
Coachman Premium	Coachman Premium	Settlers	Affinity Gold	103223	103223	103223	9-0	12-0	38	42	N	7H: 3" U-Bar (2-1-1-1) 8H: 3" U-Bar (2-1-1-1)	6218.15	YES	N/A
Coachman Premium	Coachman Premium	Settlers	Affinity Gold	103243	103243	103243	16-2	12-0	37.5	40	N	7H: 4" C-Channel (1-1-1-1-1) 8H: 4" C-Channel (1-1-1-1-1)	6218.17	YES	N/A
Coachman Premium	Coachman Premium	Settlers	Affinity Gold	103519	103519	103519	18-2	12-0	37	37	Y	7H: 6" C-Channel (1-1-1-1-1) 8H: 6" C-Channel (1-1-1-1-1)	6218.20	YES	N/A
4400, 4401, 4310, 4300, 4301	HDG, HDGL	66, 67, 68	N/A	101526	102060	N/A	9-0	8-0	37	40	N	7H: 3" U-Bar (2-1-1-1) 8H: 3" U-Bar (2-1-1-1-1)	5675.33	YES	N/A
4400, 4401, 4310, 4300, 4301	HDG, HDGL	66, 67, 68	N/A	101486	102061	N/A	16-2	8-0	37	40	Y	7H: 4" C-Channel (1-1-1-1-1) 8H: 4" C-Channel (1-1-1-1-1-1)	5675.38	YES	N/A
4400, 4401, 4310, 4300, 4301	HDG, HDGL	66, 67, 68	N/A	101487	102062	N/A	18-2	8-0	37	37	Y	7H: 6" C-Channel (1-1-1-1-1) 8H: 6" C-Channel (1-1-1-1-1-1)	5676.42	YES	N/A
H300, H301, H310, H400, H401	N/A	N/A	N/A	102497	N/A	N/A	9-0	12-0	37	40	N	10H: 3" U-Bar (2-1-1-1-2-1) 12H: 3" U-Bar (2-1-1-1-2-1-2)	5675.33	YES	N/A
H300, H301, H310, H400, H401	N/A	N/A	N/A	102498	N/A	N/A	16-2	12-0	37	40	Y	10H: 4" C-Channel (1-1-1-1-1-1-1) 12H: 4" C-Channel (1-1-1-1-1-1-1-1)	5675.38	YES	N/A
H300, H301, H310, H400, H401	N/A	N/A	N/A	102499	N/A	N/A	18-2	10-0	37	37	Y	10H: 6" C-Channel (1-1-1-1-1-1-1-1) 12H: 6" C-Channel (1-1-1-1-1-1-1-1-1)	5675.42	YES	N/A
73, 94	75, 84A	42, 48	4RST, 6RST	101348	102056	102151	9-0	8-0	38	42	N	7H: 3" U-Bar (2-1-2-1) 8H: 3" U-Bar (2-1-2-1-1)	5675.34	YES	N/A
73, 94 with Impact Lites	75, 84A with Impact Lites	42, 48 with Impact Lites	4RST, 6RST with Impact Lites	101348	102056	102151	9-0	8-0	38	42	N	7H: 3" U-Bar (2-1-2-1) 8H: 3" U-Bar (2-1-2-1-1)	6218.24	YES	N/A
73, 94	75, 84A	42, 48	4RST, 6RST	101539	102057	102152	16-2	8-0	37	41	Y	7H: 4" C-Channel (1-1-1-1-1) 8H: 4" C-Channel (1-1-1-1-1-1)	5675.39	YES	N/A
73, 94 with Impact Lites	75, 84A with Impact Lites	42, 48 with Impact Lites	4RST, 6RST with Impact Lites	101485	102058	102153	16-2	8-0	37	37	Y	7H: 6" C-Channel (1-1-1-1-1-1) 8H: 6" C-Channel (1-1-1-1-1-1-1)	6218.25	YES	N/A
73, 94	75, 84A	42, 48	4RST, 6RST	101485	102058	102153	18-2	8-0	37	37	Y	7H: 6" C-Channel (1-1-1-1-1) 8H: 6" C-Channel (1-1-1-1-1-1)	5675.43	YES	N/A
94	84A	48	4RST	101485	102058	102153	18-2	8-0	37	39	Y	7H: 6" C-Channel (1-1-1-1-1) 8H: 6" C-Channel (1-1-1-1-1-1)	5675.44	YES	N/A
H73, H94	N/A	N/A	H4ST, H6ST	102494	N/A	102500	9-0	12-0	38	42	N	10H: 3" U-Bar (2-1-2-1-2-1) 12H: 3" U-Bar (2-1-2-1-2-1-2)	5675.34	YES	N/A
H73, H94 with Impact Lites	N/A	N/A	H4ST, H6ST with Impact Lites	102494	N/A	102500	9-0	12-0	38	42	N	10H: 3" U-Bar (2-1-2-1-2-1) 12H: 3" U-Bar (2-1-2-1-2-1-2)	6218.24	YES	N/A
H73, H94	N/A	N/A	H4ST, H6ST	102495	N/A	102501	16-2	12-0	37	41	Y	10H: 4" C-Channel (1-1-1-1-1-1-1) 12H: 4" C-Channel (1-1-1-1-1-1-1-1)	5675.39	YES	N/A
H73, H94 with Impact Lites	N/A	N/A	H4ST, H6ST with Impact Lites	102495	N/A	102501	16-2	12-0	37	41	Y	10H: 4" C-Channel (1-1-1-1-1-1-1) 12H: 4" C-Channel (1-1-1-1-1-1-1-1)	6218.25	YES	N/A
H73, H94	N/A	N/A	H4ST, H6ST	102496	N/A	102502	18-2	12-0	37	37	Y	10H: 6" C-Channel (1-1-1-1-1-1-1-1) 12H: 6" C-Channel (1-1-1-1-1-1-1-1-1)	5675.43	YES	N/A
H94	N/A	N/A	H4ST	102496	N/A	102502	18-2	12-0	37	39	Y	10H: 6" C-Channel (1-1-1-1-1-1-1-1) 12H: 6" C-Channel (1-1-1-1-1-1-1-1-1)	5675.44	YES	N/A
G4S, G4L	GS4, GL4	SS4, SL4	E4S, E4L	103488	103488	103488	9-0	12-0	37	37	N	7H: 3" U-Bar (2-1-2-1) 8H: 3" U-Bar (2-2-2-2)	5675.36	YES	N/A
G4S	GS4	SS4	E4S	103489	103489	103489	16-2	12-0	37	37	Y	7H: 4" C-Channel (1-1-1-1-1) 8H: 6" C-Channel (1-1-1-1-1-1)	6218.18	YES	N/A
G4S	GS4	SS4	E4S	103406	103406	103406	18-2	7-0**	37	37	Y	7H: 6" C-Channel (1-1-1-1-1)	5675.46	No	N/A
Grand Harbor	N/A	N/A	N/A	103554	103554	103554	9-0	12-0	37	37	N	7H: 3" U-Bar (2-1-2-1) 8H: 3" U-Bar (2-2-2-2)	6218.16	YES	N/A
Grand Harbor	N/A	N/A	N/A	103555	103555	103555	16-2	12-0	37	37	Y	7H: 4" C-Channel (1-1-1-1-1) 8H: 6" C-Channel (1-1-1-1-1-1)	6218.19	YES	N/A

W6

** - doors are only approved for 7H

W7

	Clopay Dealer Model Numbers	Clopay Retail Model Numbers	Holmes Model Numbers	Ideal Model Numbers	Clopay Drawing Number	Holmes Drawing Number	Ideal Drawing Number	Door Width (Max) Ft-In	Door Height (Max) Ft-In	Design Load Positive (PSF)	Design Load Negative (PSF)	Double End Stiles?	Horizontal Reinforcement	Florida Approval Seq. No.	TDI listed	Dade listed
W7	73, 94, H73, H94	75, 84A	42, 48	4RST, 6RST, H4ST, H6ST	101702	102064	102156	9-0	12-0	42	48	N	7H: 2-1/4" U-Bar (2-2-1-2) 8H: 2-1/4" U-Bar (2-2-1-2-2)	5684.1	YES	No
	94, H94	84A	48	4RST, H4ST	101702	102064	102156	9-0	12-0	42	48	N	7H: 2-1/4" U-Bar (2-2-1-2) 8H: 2-1/4" U-Bar (2-2-1-2-2)	5684.1	YES	YES
	73, 94, H73, H94	75, 84A	42, 48	4RST, 6RST, H4ST, H6ST	101309	102063	102157	16-2	12-0	42	48	Y	7H: 6" C-Channel (1-1-1-1) 8H: 6" C-Channel (1-1-1-1-1)	5684.2	YES	No
	94, H94	84A	48	4RST, H4ST	101309	102063	102157	16-2	12-0	42	48	Y	7H: 6" C-Channel (1-1-1-1) 8H: 6" C-Channel (1-1-1-1-1)	5684.2	YES	No
	94, H94	84A	48	4RST, H4ST	102621	102621	102621	18-2	12-0	42	46	Y	7H: 6" C-Channel & 3" U-Bar 8H: 6" C-Channel & 3" U-Bar	5684.3	YES	YES

W8

	Clopay Dealer Model Numbers	Clopay Retail Model Numbers	Holmes Model Numbers	Ideal Model Numbers	Clopay Drawing Number	Holmes Drawing Number	Ideal Drawing Number	Door Width (Max) Ft-In	Door Height (Max) Ft-In	Design Load Positive (PSF)	Design Load Negative (PSF)	Double End Stiles?	Horizontal Reinforcement	Florida Approval Seq. No.	TDI listed	Dade listed
W8	4400, 4401, 4310, 4300, 4301, H300, H301, H310,	HDG, HDGL	66, 67, 68	N/A	101703	102067	N/A	9-0	12-0	48	60	N	7H: 3" U-Bar (2-2-2-2) 8H: 3" U-Bar (2-2-2-2-2)	5684.4	YES	YES
	4400, 4401, 4310, 4300, 4301, H300, H301, H310,	HDG, HDGL	66, 67, 68	N/A	101488	102068	N/A	16-2	12-0	46.6	52	Y	7H: 6" C-Channel (1-1-1-1-1) 8H: 6" C-Channel (1-1-1-1-1-1)	5684.10	YES	YES
	4400, 4401, 4310, 4300, 4301, H300, H301, H310, H400, H401	HDG, HDGL	66, 67, 68	N/A	103028	103028	N/A	18-2	12-0	46	50	Y	7H: 6" C-Channel (1-1-1-1-1) and 3" U-Bar (1-1-1-1) 8H: 6" C-Channel (1-1-1-1-1-1) and 3" U-Bar (1-1-1-1-1)	5684.12	YES	No
	Coachman Premium	Coachman Premium	Settlers	Affinity Gold	103436	103436	103436	9-0	12-0	54	60	N	7H: 3" U-Bar (2-2-2-2) 8H: 3" U-Bar (2-2-2-2)	6218.22	YES	YES
	73, 94, H73, H94	75, 84A	42, 48	4F, 4RST, 6RST, H4ST, H6ST	101296	102087	102159	9-0	12-0	46	50	N	7H: 3" U-Bar (2-2-2-2) 8H: 3" U-Bar (2-2-2-2-2)	5684.5	YES	No
	94, H94	84A	48	4F, 4RST, H4ST	103287	103287	103287	9-0	12-0	54	62	N	7H: 3" U-Bar (2-2-2-2) 8H: 3" U-Bar (2-2-2-2-2)	5684.6	No	YES
	94, H94	84A	48	4F***, 4RST, H4ST	101300	102066	102160	16-2	12-0	46.6	52	Y	7H: 6" C-Channel (1-1-1-1-1) 8H: 6" C-Channel (1-1-1-1-1-1)	5684.11	YES	YES

*** - 4FW8-16 is not DADE approved

W9

	Clopay Dealer Model Numbers	Clopay Retail Model Numbers	Holmes Model Numbers	Ideal Model Numbers	Clopay Drawing Number	Holmes Drawing Number	Ideal Drawing Number	Door Width (Max) Ft-In	Door Height (Max) Ft-In	Design Load Positive (PSF)	Design Load Negative (PSF)	Double End Stiles?	Horizontal Reinforcement	Florida Approval Seq. No.	TDI listed	Dade listed
W9	94, H94	84A	N/A	93, H93	101706	N/A	101706	9-0	12-0	57	67	Y	7H: 4" C-Channel (1-1-1-1-1) 8H: 4" C-Channel (1-1-1-1-1-1)	5684.13	No	YES

Commerical List

W1

	Clopay Model Numbers	Holmes Model Numbers	Ideal Model Numbers	Clopay Drawing Number	Holmes Drawing Number	Ideal Drawing Number	Door Width (Max) Ft-In	Door Height (Max) Ft-In	Design Load Positive (PSF)	Design Load Negative (PSF)	Horizontal Reinforcement	Florida Approval Seq. No.	TDI listed	Date listed
W1	3150	210	N/A	102964	102964	N/A	10-2	18-0	13.5	13.5	None	N/A	No	N/A
	3150	210	N/A	102965	102965	N/A	12-2	18-0	13.5	13.5	2-1/4" U-Bar (1-0-1-0)	N/A	No	N/A
	3150	210	N/A	102966	102966	N/A	14-2	18-0	13.5	13.5	2-1/4" U-Bar (1-1-1-1)	N/A	No	N/A
	3200, 3220, 3300	240	N/A	102887	102887	N/A	10-2	18-0	20	21	None	N/A	No	N/A
	3200, 3220	240	N/A	102881	102881	N/A	12-2	18-0	13.5	13.5	None	N/A	No	N/A
	3200, 3220	240	N/A	102883	102883	N/A	14-2	18-0	13.5	13.5	3" U-Bar (1-0-1-0)	N/A	No	N/A
	3300	N/A	N/A	102888	N/A	N/A	12-2	18-0	13.5	13.5	None	N/A	No	N/A
	3300	N/A	N/A	102889	N/A	N/A	14-2	18-0	13.5	13.5	3" U-Bar (1-0-1-0)	N/A	No	N/A
	3603, 3622, 3602	N/A	N/A	102968	N/A	N/A	12-2	18-0	13.5	13.5	None	N/A	No	N/A
	3603, 3622, 3602	N/A	N/A	102897	N/A	N/A	14-2	18-0	13.5	13.5	3" U-Bar (1-0-1-0)	N/A	No	N/A
	3603, 3622, 3602	N/A	N/A	103057	N/A	N/A	16-2	18-0	13.5	13.5	2-1/4" U-Bar (1-1-1-1)	N/A	No	N/A
	3603, 3622, 3602	N/A	N/A	103616	N/A	N/A	20-2	18-0	13.5	13.5	3" U-Bar (2-1-2-1)	N/A	No	N/A
	520, 520S	N/A	N/A	102967	N/A	N/A	10-2	18-0	16.5	16.5	None	N/A	No	N/A
	524, 524S, 524V, 525, 525S, 525V	224, 224S, 225, 225S	N/A	102961	102961	N/A	10-2	18-0	13.5	13.5	2-1/4" 24Ga U-Bar (1-0-1-0)	N/A	No	N/A
	524, 524S, 524V, 525, 525S, 525V	224, 224S, 225, 225S	N/A	102963	102963	N/A	14-2	18-0	13.5	13.5	3" U-Bar (1-1-1-1)	N/A	No	N/A
	902	N/A	N/A	103291	N/A	N/A	12-2	18-0	16.5	16.5	None	N/A	No	N/A
	902	N/A	N/A	103292	N/A	N/A	14-2	18-0	13.5	13.5	None	N/A	No	N/A
	692, 652V	N/A	N/A	102894	N/A	N/A	9-0	14-0	13	15	2-1/4" U-Bar (1-1-0-1)	N/A	No	N/A
	692, 652V	N/A	N/A	102895	N/A	N/A	16-0	14-0	12.5	14	3" U-Bar (2-1-1-1)	N/A	No	N/A
	692, 652V	N/A	N/A	102899	N/A	N/A	18-0	14-0	12.5	14	3" U-Bar (2-1-2-1)	N/A	No	N/A
	3154, 3155	230B	N/A	102981	102981	N/A	9-0	14-0	13	15	2-1/4" U-Bar (1-0-1-0)	N/A	No	N/A
	3154, 3155	230B	N/A	102982	102982	N/A	16-0	14-0	12.5	14	2-1/4" U-Bar (2-1-2-1)	N/A	No	N/A
	3154, 3155	230B	N/A	102983	102983	N/A	18-0	14-0	12.5	14	3" U-Bar (2-1-1-1)	N/A	No	N/A
	3201, 3203	250	N/A	102884	102884	N/A	9-0	14-0	13	15	None	N/A	No	N/A
	3201, 3203	250	N/A	102885	102885	N/A	16-0	14-0	12.5	14	2-1/4" U-Bar (1-0-1-0)	N/A	No	N/A
	3201, 3203	250	N/A	102886	102886	N/A	18-0	14-0	12.5	14	3" U-Bar (1-1-1-1)	N/A	No	N/A

W4

	Clopay Model Numbers	Holmes Model Numbers	Ideal Model Numbers	Clopay Drawing Number	Holmes Drawing Number	Ideal Drawing Number	Door Width (Max) Ft-In	Door Height (Max) Ft-In	Design Load Positive (PSF)	Design Load Negative (PSF)	Horizontal Reinforcement	Florida Approval Seq. No.	TDI listed	Dade listed
W4	692	N/A	N/A	101762	N/A	N/A	9-0	14-0	25	32	3" U-Bar (1-1-1-1)	5678.2	No	N/A
	692	N/A	N/A	101781	N/A	N/A	16-0	14-0	24	24.5	3" U-Bar (2-1-2-1)	5678.8	No	N/A
	3203	N/A	N/A	101758	N/A	N/A	9-0	14-0	28	29	2-1/4" U-Bar (varies)	5678.1	No	N/A
	3203	N/A	N/A	101760	N/A	N/A	16-0	14-0	25.5	25.5	3" U-Bar (2-1-1-1)	5678.6	No	N/A
	3200, 3220	240	N/A	101687	102073	N/A	12-2	18-0	25	28	2-1/4" U-Bar (2-1-1-1)	5678.4	YES	N/A
	3200, 3220	240	N/A	101682	102074	N/A	20-2	18-0	25	28	6" C-Channel (1-1-1-1)	5678.9	YES	N/A
	3200, 3220	N/A	N/A	103334	N/A	N/A	24-2	18-0	25	25	6" C-Channel (1-1-1-1) and 3" U-Bar (1-1-1-1)	5678.11	YES	N/A
	3602, 3603, 3622	N/A	46X20, 46X17,	102812	N/A	102812	10-2	18-0	25	25.5	None	5678.3	YES	N/A
	525, 525V, 525S, 524, 524V, 524S, 520, 520S	225, 225S, 224, 224S	C5ST, C5SV, C5SS, C4ST, C4SV, C4SS, C0ST, C0SS	101856	101856	101856	12-2	18-0	25	25	3" U-Bar (2-1-2-1)	5678.5	YES	N/A
	524, 524V, 524S, 520, 524, 524V, 524S, 520,	224, 224S	C4ST, C4SV, C4SS, C4ST, C4SV, C4SS,	101886	101886	101886	16-2	18-0	25	25	4" C-Channel (1-1-1-1)	5678.7	YES	N/A
	524, 524V, 524S, 520, 520S	224, 224S	C4ST, C4SV, C4SS, C0ST, C0SS	102126	102126	102126	20-2	18-0	25	25	6" C-Channel (1-1-1-1)	5678.10	YES	N/A
	524, 524V, 524S, 520, 520S	N/A	C4ST, C4SV, C4SS, C0ST, C0SS	103333	103333	103333	24-2	18-0	25	25	6" C-Channel (1-1-1-1) and 3" U-Bar (1-1-1-1)	5678.12	YES	N/A
	902	N/A	C2AL	103332	103332	103332	24-2	18-0	25	25	6" C-Channel (1-1-1-1) and 3" U-Bar (1-1-1-1)	5678.13	YES	N/A

W5

W5	Cloday	Holmes	Ideal	Cloday	Holmes	Ideal	Door Width	Door Height	Design Load	Design Load	Horizontal Reinforcement	Florida	TDI	Dade
	Model Numbers	Model Numbers	Model Numbers	Drawing Number	Drawing Number	Drawing Number	(Max) Ft-In	(Max) Ft-In	Positive (PSF)	Negative (PSF)		Approval Seq. No.	listed	listed
	902	N/A	C2AL	103275	N/A	103275	12-2	18-0	32	32	2"x2" Alum. Angle (2-1-1-1)	5678.17	YES	N/A
	902	N/A	C2AL	103294	N/A	103294	16-2	18-0	32	32	4" C-Channel (1-1-1-1)	5678.22	YES	N/A
	902	N/A	C2AL	103295	N/A	103295	16-2	18-0	30	30	2"x2" Alum. Angle (2-1-1-1)*	5678.21	No	N/A
	902	N/A	C2AL	103296	N/A	103296	20-2	18-0	30	30	6" C-Channel (1-1-1-1)	5678.23	YES	N/A
	902	N/A	C2AL	103324	N/A	103324	22-2	18-0	30	30	6" C-Channel (1-1-1-1) and 3" U-Bar (1-1-1-1)	5678.26	YES	N/A
	524, 524V, 524S, 520, 520S	224, 224S	C4ST, C4SV, C4SS, COST, COSS	101874	101874	101874	8-2	18-0	30	30	2-1/4" U-Bar (1-1-1-1)	5678.14	YES	N/A
	524, 524V, 524S, 520, 520S	224, 224S	C4ST, C4SV, C4SS, COST, COSS	101875	101875	101875	10-2	18-0	30	30	3" U-Bar (1-1-1-1)	5678.15	YES	N/A
	524, 524V, 524S, 520, 520S	224, 224S	C4ST, C4SV, C4SS, COST, COSS	101869	101869	101869	12-2	18-0	30	30	3" U-Bar (2-2-2-2)	5678.16	YES	N/A
	524, 524V, 524S, 520, 520S	224, 224S	C4ST, C4SV, C4SS, COST, COSS	101885	101885	101885	16-2	18-0	32	32	4" C-Channel (1-1-1-1)	5678.20	YES	N/A
	524, 524V, 524S, 520, 520S	N/A	C4ST, C4SV, C4SS, COST, COSS	103319	N/A	103319	22-2	18-0	30	30	6" C-Channel (1-1-1-1) and 3" U-Bar (1-1-1-1)	5678.25	YES	N/A
	3200, 3220	240	N/A	200040	102079	N/A	16-2	18-0	30	32	3" U-Bar (2-2-2-2)	5678.19	YES	N/A
	3200, 3220	N/A	N/A	103320	N/A	N/A	22-2	18-0	30	30	6" C-Channel (1-1-1-1) and 3" U-Bar (1-1-1-1)	5678.24	YES	N/A
	3602, 3603, 3622	N/A	56X20, 56X17,	102891	N/A	102891	14-2	18-0	30	34	3" U-Bar (2-1-1-1)	5678.18	YES	N/A

* - 2"x2" aluminum angle is offset with 4"x6" plates

W6

	Clopay Model Numbers	Holmes Model Numbers	Ideal Model Numbers	Clopay Drawing Number	Holmes Drawing Number	Ideal Drawing Number	Door Width (Max) Ft-In	Door Height (Max) Ft-In	Design Load Positive (PSF)	Design Load Negative (PSF)	Horizontal Reinforcement	Florida Approval Seq. No.	TDI listed	Dade listed
W6	3200, 3220	240	N/A	101617	102082	N/A	10-2	18-0	37	40	3" U-Bar (2-1-1-1)	5678.27	YES	N/A
	3200, 3220	240	N/A	101678	102083	N/A	12-2	18-0	40	40	3" U-Bar (2-1-2-1)	5678.30	YES	N/A
	3602, 3603, 3622	N/A	66X20, 66X17,	102813	N/A	102813	10-2	18-0	37	37	3" U-Bar (2-1-1-1)	5678.28	YES	N/A
	3602, 3603, 3622	N/A	66X20, 66X17,	102890	N/A	102890	14-2	18-0	37	42	3" U-Bar (2-2-2-2)	5678.32	YES	N/A
	902	N/A	C2AL	103324	N/A	103324	22-2	18-0	33	34	6" C-Channel (1-1-1-1) and 3" U-Bar (2-2-2-2) and 2x2 AL Angle (1-1-1-0)	6218.21	YES	N/A
	524, 524V, 524S, 520, 520S	224, 224S	C4ST, C4SV, C4SS, C0ST, C0SS	102445	102445	102445	10-2	18-0	37	42	3" U-Bar (2-1-2-1)	5678.29	YES	N/A
	524, 524V, 524S, 520, 520S	224, 224S	C4ST, C4SV, C4SS, C0ST, C0SS	102446	102446	102446	12-2	18-0	37	42	3" U-Bar (2-2-2-2)	5678.31	YES	N/A
524, 524V, 524S, 520, 520S	224, 224S	C4ST, C4SV, C4SS, C0ST, C0SS	102585	102585	102585	14-2	18-0	37	38	4" C-Channel (1-1-1-1)	5678.33	YES	N/A	

W8

	Clopay Model Numbers	Holmes Model Numbers	Ideal Model Numbers	Clopay Drawing Number	Holmes Drawing Number	Ideal Drawing Number	Door Width (Max) Ft-In	Door Height (Max) Ft-In	Design Load Positive (PSF)	Design Load Negative (PSF)	Horizontal Reinforcement	Florida Approval Seq. No.	TDI listed	Dade listed
W8	3200, 3220	240	N/A	101705	102085	N/A	12-2	18-0	52	58	4" C-Channel (1-1-1-1)	5684.7	YES	YES
	524, 520	224	C4ST, C0ST	102645	102645	102645	12-2	18-0	50	56	4" C-Channel (1-1-1-1)	5684.8	YES	YES
	524, 520	224	C4ST, C0ST	103288	103288	103288	14-2	18-0	50	56	4" C-Channel (1-1-1-1) and 3" U-Bar (1-1-1-1)	5684.9	YES	YES